

Exceptional equipment. Unmatched service. 40+years and counting.



OSCILLATING GRANULATOR

PRODUCT BROCHURE




















A place where industrial age build quality meets innovations in modern technology.



You may be familiar with our technical expertise in the manufacturing of processing machinery.

After having the opportunity to serve the pharmaceutical, nutraceutical, chemical, cosmetic, food, plastic and other allied industries, we now enter a new era of exponential improvement.

Introducing our new range of equipment, the AURUS machines.



















Clients

There is nothing we enjoy more, than satisfying clients that appreciate our philosophy of under-promising and over-delivering, far beyond expectation.

Our machines are known to be built like tanks, but we are always there to help, if things ever get troublesome.



AURUS Oscillating Granulator

The most popular special-purpose machine from our highly-focused catalogue of exceptional engineering equipment.

The AURUS Oscillating Granulator is the ideal tool for dry & wet granulation, screening, crushing and breaking lumps thereby enhancing the compressibility of the end-products.

This granulation machine is all you will ever need for gentle, homogenised size reduction, sieving and grading granules in a variety of industries.

Benefits

- ▶ Its gentle, low-impact movement avoids excessive heat generation
- ▶ The unique oscillating rotation also avoids accidental fine powder formation
- Ultimate value on investment with multiplevariant options based on requirement
- ► Effortless ownership experience due to minimal noise, heat





Interchangeable screens for optimumprecision

Easy to dismantle and wash with hot water

Variable Frequency
Drive for speed
adjustment




Swivel-type castor wheels with brakes for safety

Food-grade silicone rubber, PTFE teflon seals


Certified cGMP, CE, UL compliant

| Models | | | | | | | |
|-----------|---------------|----------------|----------------|-----------------|--|--|--|
| Name | SG-LAB | SG-250 | SG-500 | SG-650 | | | |
| Motor | 1HP | 2HP | 2 X 2HP | 3 X 3HP | | | |
| Capacity* | upto 50 Kg/Hr | upto 400 Kg/Hr | upto 800 Kg/Hr | upto 1200 Kg/Hr | | | |



| Technical Specifications | | | | |
|--------------------------|---|--|--|--|
| Material | SS316L(contact) SS304(non-contact) | | | |
| Finish | 240 grit Mirror (interior) 180 grit Matt (exterior) | | | |
| Motor | 1440RPM, 41SV,3-Phase,S0Hz Non Flame-Proof, Flanged-type | | | |
| Starter | Variable Frequency Drive Enclosed in Stainless Steel box | | | |
| Optional | Touch screen control system. ATEX complaint Flame proof electricals Vacuum rated. | | | |

A proven winner.
The Oscillating Granulator is a solid, reliable machine for all your granulation needs. Powerful and predictable, every single time.





Applications

The AURUS Oscillating Granulator is far more suitable than regular mills due to its gentle movement. This avoids the raw materials from undergoing high-impact situations that may lead to heat generation.

It also avoids excessive crushing of the raw materials into fine powders that can result in a difference in the dissolution rate. Thus, this machine is proving to be quite popular in most industries where granulation is key.

From active pharmaceutical ingredients to chicory additives for coffee, as catalysing agent in metal foundries to calcium supplements & health products, most manufacturers have figured out a way to reap the benefits of this incredibly versatile machine.







| Notes | | |
|-------|--|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

KANATH ENGINEERING PVT LTD S. NO. 84/1D, G. NO. 504/1, NEXT TO FRESCO RADIATORS, PUNDHE, TAL. SHAHAPUR, MAHARASHTRA 421601

sales@kanathengg.com kanathengg@gmail.com +91-9833090630 / 9137714450 www.aurusmachines.com